



6829 Bella Vista Drive, Salt Lake City, Utah 84121  
Phone 801-942-0254 email: [kayquist@kayquist.com](mailto:kayquist@kayquist.com) [www.kayquist.com](http://www.kayquist.com)

“ROSEBUD COTTAGE”  
BIRDHOUSE WIND CHIME  
Pattern No.2003-25  
©2003  
BY  
KAY QUIST CREATIONS  
6829 Bella Vista Drive  
Salt Lake City, UT. 84121  
(801) 942-0254  
E-mail: kquist@pcstarnet.com  
Website: www.kayquist.com

**PALETTE:**

Delta Ceramcoat Acrylic Paints  
Butter Cream, Paynes Grey, Cactus Green, Alpine Green, Woodland Night Green, Dusty Mauve, Mulberry  
DELTA CERAMCOAT ANTIQUING GEL, BROWN

**MISCELLANEOUS SUPPLIES**

Delta Ceramcoat All-Purpose Sealer  
Delta Ceramcoat Interior Spray Varnish  
Delta Ceramcoat Exterior/Interior Varnish  
#400 Sandpaper  
Transfer Paper  
Wood item available from Cabin Crafters Supply

**WOOD PREPARATION:**

Sand lightly, wipe clean and then seal wood. Sand smooth with #400 sandpaper and wipe clean.

**PAINTING INSTRUCTIONS:**

**WALLS & BASEBOARD:** Base checkerboard band with BUTTER CREAM. Base alternating sections with PAYNES GREY. Base upper section with CACTUS GREEN. Base stripes with BUTTER CREAM. Shade float top and bottom edges of this section with ALPINE GREEN. Base baseboard with MULBERRY.  
**SHUTTERS:** Base with DUSTY MAUVE. Shade float inner edges with MULBERRY. Overstroke with BUTTER CREAM. Make hinges with PAYNES GREY.  
**FLOWERS, STEMS & LEAVES:** Base stems and leaves with ALPINE GREEN. Shade float them with WOODLAND NIGHT GREEN. Base rosebuds with DUSTY MAUVE. Shade float upper bowl and along bottom edge with MULBERRY. Overstroke with BUTTER CREAM.  
**ROOF:** Base with alternating sections with BUTTER CREAM. Make veins and leaves in these sections with ALPINE GREEN. Shades float with WOODLAND NIGHT GREEN. Base remaining sections with DUSTY MAUVE and shade float at top edge with MULBERRY. Base the underneath trim band with PAYNES GREY.

**FINAL FINISHING:**

Give entire project one coat of Delta Ceramcoat Interior Spray Varnish and let dry. Apply one heavy coat of DELTA CERAMCOAT ANTIQUING GEL, BROWN. Let this set for just a minute or two and then wipe/pat gently with a soft rag or soft paper towel. Let dry and then apply 2 to 3 coats of Delta Ceramcoat Exterior/Interior Varnish if using outdoors.

