



6829 Bella Vista Drive, Salt Lake City, Utah 84121
Phone 801-942-0254 email: kayquist@kayquist.com www.kayquist.com

“ROSEBUD COTTAGE”
BIRDHOUSE WIND CHIME
Pattern No.2003-25
©2003
BY
KAY QUIST CREATIONS
6829 Bella Vista Drive
Salt Lake City, UT. 84121
(801) 942-0254
E-mail: kquist@pcstarnet.com
Website: www.kayquist.com

PALETTE:

Delta Ceramcoat Acrylic Paints
Butter Cream, Paynes Grey, Cactus Green, Alpine Green, Woodland Night Green, Dusty Mauve, Mulberry
DELTA CERAMCOAT ANTIQUING GEL, BROWN

MISCELLANEOUS SUPPLIES

Delta Ceramcoat All-Purpose Sealer
Delta Ceramcoat Interior Spray Varnish
Delta Ceramcoat Exterior/Interior Varnish
#400 Sandpaper
Transfer Paper
Wood item available from Cabin Crafters Supply

WOOD PREPARATION:

Sand lightly, wipe clean and then seal wood. Sand smooth with #400 sandpaper and wipe clean.

PAINTING INSTRUCTIONS:

WALLS & BASEBOARD: Base checkerboard band with BUTTER CREAM. Base alternating sections with PAYNES GREY. Base upper section with CACTUS GREEN. Base stripes with BUTTER CREAM. Shade float top and bottom edges of this section with ALPINE GREEN. Base baseboard with MULBERRY.
SHUTTERS: Base with DUSTY MAUVE. Shade float inner edges with MULBERRY. Overstroke with BUTTER CREAM. Make hinges with PAYNES GREY.
FLOWERS, STEMS & LEAVES: Base stems and leaves with ALPINE GREEN. Shade float them with WOODLAND NIGHT GREEN. Base rosebuds with DUSTY MAUVE. Shade float upper bowl and along bottom edge with MULBERRY. Overstroke with BUTTER CREAM.
ROOF: Base with alternating sections with BUTTER CREAM. Make veins and leaves in these sections with ALPINE GREEN. Shades float with WOODLAND NIGHT GREEN. Base remaining sections with DUSTY MAUVE and shade float at top edge with MULBERRY. Base the underneath trim band with PAYNES GREY.

FINAL FINISHING:

Give entire project one coat of Delta Ceramcoat Interior Spray Varnish and let dry. Apply one heavy coat of DELTA CERAMCOAT ANTIQUING GEL, BROWN. Let this set for just a minute or two and then wipe/pat gently with a soft rag or soft paper towel. Let dry and then apply 2 to 3 coats of Delta Ceramcoat Exterior/Interior Varnish if using outdoors.

